

**Supplementary Table 1.** Characteristics of included studies, total sample size, patients lost to follow-up and reported p-values.

Study drug, trial	Design	Arm	Sample size	Patients lost to follow-up/withdrawn	Reported p-value	FI	RFI
Abatacept, NCT00430677	Double-blind, parallel-group, multicenter (85 sites).	Abatacept, 30/10	298	25	0.806*	--	9
		Abatacept, 10/10	99	23	0.48*	--	7
		Placebo	100	22			
Anifrolumab, TULIP-1	Double-blind, parallel-group, multicenter (123 sites, 18 countries).	Anifrolumab, 300mg	457	36	0.412	--	27
		Placebo	180	38			
			184				
Anifrolumab, TULIP-2	Double-blind, parallel-group, multicenter (119 sites, 16 countries).	Anifrolumab, 300mg	365	27	0.001	11	--
		Placebo	180	52			
			182				
Atacicept, APRIL-SLE	Double-blind, parallel-group, multicenter (125 sites)	Atacicept, 75mg	461	45	0.543	--	13
		Placebo	159	43			
			157				
Baricitinib, SLE-BRAVE-I	Double-blind, parallel-group, multicenter (182 sites, 18 countries)	Baricitinib, 2mg	769	56	0.47	--	15
		Baricitinib, 4mg	258	55	0.016	4	--
		Placebo	254	68			
			257				
Baricitinib, SLE-BRAVE-II	Double-blind, parallel-group, multicenter (162 sites, 15 countries)	Baricitinib, 2mg	778	55	0.79	--	22
		Baricitinib, 4mg	262	62	0.71	--	19
		Placebo	259	49			
			257				
Belimumab, BLISS-52	Double-blind, parallel-group, multicenter (90 sites, 13 countries)	Belimumab, 10mg/kg	867	49	0.0006	17	--
		Placebo	290	61			
			287				

Study drug, trial	Design	Arm	Sample size	Patients lost to follow-up/withdrawn	Reported p-value	FI	RFI
Belimumab, BLISS-76	Double-blind, parallel-group, multicenter (136 sites, 19 countries)	Belimumab, 10mg/kg	819	82	0.017	4	--
		Placebo	273	89			
Belimumab, BLISS-SC	Double-blind, parallel-group, multicenter (177 sites, 30 countries)	Belimumab, 200mg SC	836	93	0.0006	16	--
		Placebo	556	66			
Belimumab, BEL113750	Double-blind, parallel-group, multicenter (49 sites, 3 countries)	Belimumab, 10mg/kg	707	82	<0.0001	15	--
		Placebo	451	56			
Belimumab, BLISS-LN	Double-blind, parallel-group, multicenter (107 sites, 21 countries)	Belimumab, 10mg/kg	448	76	0.03	3	--
		Placebo	223	91			
Blisibimod, CHABLIS-SC1	Double-blind, parallel-group, multicenter (15 countries)	Blisibimod	442	53	0.352	--	13
		Placebo	245	44			
Epratuzumab, EMBODY1	Double-blind, parallel-group, multicenter	Epratuzumab 600mg QW	793	94	0.442	--	14
		Epratuzumab 1200mg Q2W	248	81	0.175	--	9
		Placebo	244	90			
Epratuzumab, EMBODY2	Double-blind, parallel-group, multicenter	Epratuzumab 600mg QW	791	82	0.716	--	18
		Epratuzumab 1200mg Q2W	266	91	0.899	--	21
		Placebo	262	85			
Rituximab, EXPLORER	Double-blind, parallel-group, multicenter (55 sites)	Rituximab	257	49	0.886*	--	20
		Placebo	169	24			

Study drug, trial	Design	Arm	Sample size	Patients lost to follow-up/withdrawn	Reported p-value	FI	RFI																																																									
Rituximab, LUNAR	Double-blind, parallel-group, multicenter (52 sites)	Rituximab	144	7	0.55	--	16																																																									
		Placebo	72	18				Tabalumab, ILLUMINATE-1	Double-blind, parallel-group, multicenter	Tabalumab 120mg Q2W	1138	82	0.409	--	17	Tabalumab 120mg Q4W	381	87	0.052	--	4	Placebo	378	95				Tabalumab, ILLUMINATE-2	Double-blind, parallel-group, multicenter	Tabalumab 120mg Q2W	1124	77	0.002	15	--	Tabalumab 120mg Q4W	372	87	0.041*	2	--	Placebo	376	88				Ustekinumab, LOTUS	Double-blind, parallel-group, multicenter (140 sites, 20 countries)	Ustekinumab	516	155	1.00*	--	22	Placebo	308	103	Voclosporin, AURORA-1	Double-blind, parallel-group, multicenter (142 sites, 27 countries)	Voclosporin	357	15	<0.001
Tabalumab, ILLUMINATE-1	Double-blind, parallel-group, multicenter	Tabalumab 120mg Q2W	1138	82	0.409	--	17																																																									
		Tabalumab 120mg Q4W	381	87	0.052	--	4																																																									
		Placebo	378	95																																																												
Tabalumab, ILLUMINATE-2	Double-blind, parallel-group, multicenter	Tabalumab 120mg Q2W	1124	77	0.002	15	--																																																									
		Tabalumab 120mg Q4W	372	87	0.041*	2	--																																																									
		Placebo	376	88																																																												
Ustekinumab, LOTUS	Double-blind, parallel-group, multicenter (140 sites, 20 countries)	Ustekinumab	516	155	1.00*	--	22																																																									
		Placebo	308	103																																																												
Voclosporin, AURORA-1	Double-blind, parallel-group, multicenter (142 sites, 27 countries)	Voclosporin	357	15	<0.001	15	--																																																									
		Placebo	179	31																																																												

\*Not reported in original article. Two-sided Fisher's exact test.