

**Supplemental Table 1. Univariate analyses of Other DLE Lesion Characteristics Based on CLASI Scores in 112 Black and 71 Non-Black Patients**

<b>Anatomical Location and Lesion Characteristics</b>	<b>Black Patients (N, %)</b>	<b>Non-Black Patients (N, %)</b>	<b>P-Value<sup>a</sup></b>
<b>Nose/Malar Area</b>			
Erythema	46 (41%)	33 (46%)	0.472
Scale/Hypertrophy	18 (16%)	20 (28%)	0.049
Dyspigmentation	54 (48%)	28 (39%)	0.245
Scarring	33 (29%)	21 (30%)	0.987
<b>Rest of Face</b>			
Erythema	47 (42%)	29 (41%)	0.881
Scale/Hypertrophy	23 (21%)	24 (34%)	0.045
Dyspigmentation	60 (54%)	30 (42%)	0.136
Scarring	37 (33%)	23 (32%)	0.928
<b>Posterior Neck/Shoulders</b>			
Erythema	13 (12%)	16 (23%)	0.049
Scale/Hypertrophy	6 (5.3%)	11 (15%)	0.021
Dyspigmentation	21 (19%)	17 (24%)	0.399
Scarring	8 (7.1%)	11 (15%)	0.071
<b>Abdomen</b>			
Erythema	8 (7.1%)	0 (0%)	0.024 <sup>b</sup>
Scale/Hypertrophy	7 (6.3%)	0 (0%)	0.044 <sup>b</sup>
Dyspigmentation	9 (8.0%)	1 (1.4%)	0.091 <sup>b</sup>
Scarring	4 (4.0%)	0 (0%)	0.159 <sup>b</sup>
<b>Chest</b>			
Erythema	12 (11%)	11 (15%)	0.342
Scale/Hypertrophy	6 (5.3%)	8 (11%)	0.143
Dyspigmentation	18 (16%)	12 (20%)	0.527
Scarring	10 (8.9%)	5 (7.0%)	0.650
<b>Back and Buttocks</b>			
Erythema	22 (20%)	15 (21%)	0.808
Scale/Hypertrophy	13 (12%)	10 (14%)	0.622
Dyspigmentation	27 (24%)	14 (20%)	0.488
Scarring	16 (14%)	6 (8.5%)	0.237
<b>Arms</b>			
Erythema	27 (24%)	20 (28%)	0.540
Scale/Hypertrophy	24 (21%)	14 (20%)	0.781
Dyspigmentation	40 (36%)	20 (28%)	0.289
Scarring	24 (21%)	14 (20%)	0.781
<b>Hands</b>			
Erythema	11 (9.8%)	9 (13%)	0.546
Scale/Hypertrophy	11 (9.8%)	5 (7.0%)	0.517
Dyspigmentation	17 (15%)	6 (8.5%)	0.181
Scarring	10 (8.9%)	5 (7.0%)	0.650
<b>Legs</b>			
Erythema	10 (8.9%)	7 (9.9%)	0.833
Scale/Hypertrophy	9 (8.0%)	5 (7.0%)	0.805
Dyspigmentation	19 (17%)	7 (9.9%)	0.180
Scarring	8 (7.1%)	4 (5.6%)	0.768 <sup>b</sup>

## Feet

Erythema	4 (3.6%)	2 (2.8%)	>0.999 <sup>b</sup>
Scale/Hypertrophy	4 (3.6%)	0 (0%)	0.159 <sup>b</sup>
Dyspigmentation	4 (3.6%)	1 (1.4%)	0.650 <sup>b</sup>
Scarring	1 (1.4%)	1 (0.9%)	>0.999 <sup>b</sup>

<sup>a</sup> P-values were calculated with Chi-Square test unless otherwise specified.

<sup>b</sup> P-values were calculated with Fisher's Exact test.

Abbreviations: CLASI - Cutaneous Lupus Erythematosus Disease Area and Severity Index, DLE – Discoid lupus erythematosus, CLASI - Cutaneous Lupus Erythematosus Disease Area and Severity Index